Available online at www.sciencedirect.com

SCIENCE DIRECT®

Journal of Electrocardiology 38 (2005) 417–424

JOURNAL OF Electrocardiology

www.elsevier.com/locate/jelectrocard

Subject Index: Volume 38, 2005

Ablation
in posteroseptal and left free-wall subepicardial accessory pathways, 69
Accelerated idioventricular rhythm
false suggestion of ST-elevation MI in patient with non–ST-elevation MI, 204
Accessory pathways
posteroseptal and left free-wall subepicardial, characteristics and ablation in, 69
Action potential duration
mechanisms for conversion of VF to VT by perfusion with ruthenium red, 295, 364
Activation recovery time
in evaluation of global sequence and dispersion of ventricular repolarization, 28
Acute coronary syndromes (ACS). *See* **Coronary artery disease**
Acute myocardial infarction (AMI). *See* **Myocardial infarction**
Acuteness score
Anderson-Wilkins, in patients with acute myocardial infarction, human *vs.* automated ECG waveform measurements and calculation of, 96
AF. *See* **Atrial fibrillation**
Algorithms
computer-based ECG rhythm, diagnostic performance of, 235
Alternans
T wave, and risk of torsade de pointes, 10
Alternating Wenckebach's periods
vs. Wenckebach's periods, during 4:1 atrioventricular block, terminology usage, 157
Ambulatory electrocardiography
prognostic value in patients with dilated cardiomyopathy, 64
AMI. *See* **Myocardial infarction, acute**
Anasarca
augmentation of ECG QRS complexes in patients with, and CHF patients responding to diuresis, 54
mediation of apparent amelioration of BBB and IVCD, 160
Anderson-Wilkins acuteness score
in patients with acute myocardial infarction, human *vs.* automated ECG waveform measurements and calculation of, 96
Angiography
compromised atrial coronary anatomy, association with atrial arrhythmias and AV block complicating AMI, 271
Angioplasty
myocardial salvage by, and progression of necrosis, role of baseline ECG grade 3 ischemia in prediction of, 187
Animal models
complete AV block in experimental murine myocarditis, 230
development of new model of ventricular fibrillation in isolated rabbit hearts, 226
effect of inhibition of reverse mode of Na^+/Ca^{2+} exchange by KB-R7943 on arrhythmogenicity during rapid HR, 218
effect of intrathoracic heart position on ECG autocorrelation maps, 87, 95
QT dispersion in estimating global dispersion of ventricular repolarization, 19
Area at risk
initial, in AMI, association with baseline ECG grade 3 ischemia, 187
Arrhythmias
automated diagnosis, and P wave, 295
and AV block, complicating AMI, association of compromised atrial coronary anatomy with, 271
case report of short QT interval syndrome, 371
computer-based ECG diagnosis of, 345
evolving concepts of, 213
Arrhythmogenic right ventricular cardiomyopathy. *See* **Arrhythmogenic right ventricular dysplasia**
Arrhythmogenic right ventricular dysplasia
and Brugada syndrome, 260
ART. *See* **Activation recovery time**
Atria
depolarization signal, measurement and reproducibility by MCG, 330
Atrial conduction
widely split P waves in IAB, 324, 327
Atrial coronary anatomy
compromised, association with atrial arrhythmias and AV block complicating AMI, 271

0022-0736/$ – see front matter
doi:10.1016/S0022-0736(05)00307-9

Atrial fibrillation (AF)
and AV block, complicating AMI, association of compromised atrial coronary anatomy with, 271
case report of short QT interval syndrome, 371
evolving concepts of, 213
paroxysmal lone, measurement and reproducibility of MCG filtered atrial signal in patients with, 330
partial atrial standstill, electrophysiologic presentation of, 252
prediction of recurrence after cardioversion, role of P-wave dispersion, 43
Atrial flutter
with 4:1 atrioventricular block, Wenckebach's periods during, 157
Atrial septum pacing
low atrial septum, ECG characteristics in, 166
Atrial standstill
partial, electrophysiologic presentation of, 252
Atrial tachycardia
partial atrial standstill, electrophysiologic presentation of, 252
Atrioventricular (AV) block
and atrial arrhythmias, complicating AMI, association of compromised atrial coronary anatomy with, 271
chronic, neurocardiogenic syncope in, 340
complete, in experimental murine myocarditis, 230
4:1, Wenckebach's periods *vs.* alternating Wenckebach's periods during, 157
Autocorrelation maps
effect of intrathoracic heart position on, 87, 95
Automated ECG
vs. human measurements and calculation of Anderson-Wilkins acuteness score in patients with AMI, 96
Autonomic modulation
of U wave during phenylephrine and esmolol infusions, 152
Autonomic nervous system
antecedents to variant angina exacerbation after β-blockade withdrawal, 82
influence on heart rate variability analysis, 47
Autonomic regulation
neurocardiogenic syncope in chronic AV block, 295, 340
AV block. *See* **Atrioventricular block**

BBB. *See* **Bundle branch block**
Beta-blocker
autonomic antecedents to variant angina after withdrawal of, 82
infusions, autonomic modulation of U wave during, 152
Body surface mapping
effect of intrathoracic heart position on autocorrelation maps, 87, 95
QRST isointegral departure mapping, after exercise in congenital LQTS, 244
spatial repolarization abnormalities in old MI, 264
Body surface potential mapping. *See* **Body surface mapping**
Body volume conductor
electrical impedance of, due to anasarca, 160
mechanism of augmentation of ECG QRS complexes in patients with CHF responding to diuresis, 54
Book review
Osbakken, M.: *Cardiac Safety of Noncardiac Drugs: Practical Guidelines for Clinical Research and Drug Development,* 383
Brody effect
mechanism of augmentation of ECG QRS complexes in patients with CHF responding to diuresis, 54
Brugada syndrome
and arrhythmogenic right ventricular cardiomyopathy/dysplasia, 260
and rate-dependent RBBB, dynamic ECG changes after aborted sudden death in, 256
Bundle branch block (BBB)
apparent amelioration of, mediated by anasarca, 160

CAD. *See* **Coronary artery disease**
Cardiac electrophysiology
development of new model of ventricular fibrillation in isolated rabbit hearts, 226
Cardiac rhythm
altered by gastric pacemakers, 295
computer-based interpretation of ECG, diagnostic performance of, 235
Cardioversion
recurrence of atrial fibrillation after, prediction using P-wave dispersion, 43
Central terminal (CT)
use in clinical interpretation of 12-lead ECG, 119, 128
CHF. *See* **Congestive heart failure**
Circadian rhythm
of QT interval dispersion, correlation with heart rate variability, in healthy subjects, 36
of spectral indices of HRV in healthy subjects, 239
Clinical diagnosis
use of Wilson central terminal in clinical interpretation of 12-lead ECG, 119, 128
Computer analysis
of ST/HR difference during early postexercise recovery phase, 130
Computer-assisted diagnosis. *See* **Diagnosis, computer-assisted**
Computer-assisted signal processing. *See* **Signal processing, computer-assisted**
Computer-based ECG rhythm algorithm
diagnostic performance of, 235

Conduction system
complete AV block in experimental murine myocarditis, 230
Congestive heart failure (CHF)
patients responding to diuresis, augmentation of QRS complexes in, 54
Core laboratories
ECGScan for conversion of paper ECG printouts to digital ECG files, 310
Coronary artery disease (CAD)
acute ischemic, morphologic ECG interpretation as valuable tool for decision making, 4
exercise-induced, detection by exercise ECG, 130
stable, P-wave dispersion in, in relation to disease severity, 279
ST-elevation, early NTW and viable myocardium in patients with, 171, 179
Coronary artery spasm
silent ischemia after percutaneous transluminal coronary angioplasty caused by, 206
Coronary sinus
characteristics of subepicardial accessory pathways ablated from, 69
CT. *See* **Central terminal**

DCM. *See* **Dilated cardiomyopathy**
Decision making
in acute ischemic CAD, morphologic ECG interpretation as valuable tool for, 4
Departure map
QRST isointegral, after exercise in congenital LQTS, 244
Dextrocardia
and situs inversus, in AMI patient, 412
Diagnosis, computer-assisted
computer-based ECG diagnosis of arrhythmias, 345
diagnostic performance of computer-based ECG rhythm algorithm, 235
Diffuse axonal injury
in head trauma, ECG changes after, 77
Dilated cardiomyopathy (DCM)
prognostic value of ambulatory ECG monitoring in, 64
Disease severity
of CAD, in relation to P-wave dispersion, 279
of PWPDs, on rest technetium-99m sestamibi myocardial perfusion imaging, ECG prediction of, 195
Diuresis
patients with CHF responding to, augmentation of ECG QRS complexes, 54
Drug evaluation
use of ECG parameters in, 7
Drug-induced adverse reactions
drug-induced QT dispersion and risk of torsade de pointes, 10

ECG. *See* **Electrocardiography**
Einthoven, W.
contributions to ECG development, and evolving concepts of atrial fibrillation, 213
Electrical impedance
attenuation, due to anasarca, 160
Electrocardiography (ECG). *See also* **Automated ECG; Exercise ECG test**
appearance of prominent positive U waves with high-dose intravenous phenylephrine, 378
baseline grade 3 ischemia, role in predicting necrosis progression and myocardial salvage by primary angioplasty, 187
bizarre findings, manifestation of silent ischemia after percutaneous transluminal coronary angioplasty, 206
changes, after head trauma, 77
computer-based diagnosis of arrhythmias, 345
confounding factors in imaging, 295
correlation between initial ST-segment deviation and final AMI size in patients with maximum ST-segment depression in leads V_1 through V_3, 180
digitization, practical perspective on usefulness of new tool to convert paper ECGs into digital waveform, 321
digitizing paper ECG, 295
dynamic changes after aborted sudden death in patient with Brugada syndrome and rate-dependent RBBB, 256
ECGScan for conversion of paper ECG printouts to digital ECG files, 310
and evolving concepts of atrial fibrillation, 213
idioventricular rhythm, false suggestion of ST-elevation MI in patient with non–ST-elevation MI, 204
in infarct size estimation in acute ST-elevation MI, 113
interpretation of, as valuable tool for decision making in acute ischemic CAD, 4
inverted T waves, in diagnosis of myocardial ischemia *vs.* pulmonary embolism, 361
of left ventricular mass, distance correction in, 58
misinterpretation of findings as a result of cable malfunction, 210, 212
new monitoring methods for ischemia, 295
prediction of severity of PWPDs on rest technetium-99m sestamibi myocardial perfusion imaging, 195
report of first virtual visualization of reconstructed ECG display symposium, 385
signal-averaged, *vs.* MCG filtered atrial signal, in patients with paroxysmal lone AF and healthy subjects, 330
unusual artifact in, and gastric electrical stimulation, 295, 337
use in drug evaluation, 7
waveform extraction, points to consider, 319
wireless transmission to on-call cardiologist via handheld devices, prehospital triage of AMI, 295, 300

Electrophysiology
characteristics of partial atrial standstill, 252
Emergency department
prehospital triage of AMI, wireless transmission of ECG to on-call cardiologist via handheld device, 300
Esmolol
and phenylephrine, infusions, autonomic modulation of U wave during, 152
Exercise ECG test
improved capacity in detection of coronary artery disease, 130
Exercise stress test
in congenital LQTS, QRST isointegral departure mapping after, 244
Exercise test
ECG, improved capacity in detection of coronary artery disease, 130
Extrinsic sinus node dysfunction
neurocardiogenic syncope in chronic AV block, 340

Fibrinolysis
atrial coronary anatomy after, association with atrial arrhythmias and AV block complicating AMI, 271

Gastric electrical stimulation
unusual ECG artifact, 295, 337
Gastric pacemakers
cardiac rhythm altered by, 295
Global dispersion of ventricular repolarization
activation recovery time measurements in evaluation of, 28
role of QT dispersion in estimation of, 19
Global sequence of ventricular repolarization
activation recovery time measurements in evaluation of, 28
Grade 3 ischemia
on admission ECG, role in predicting progression of necrosis and myocardial salvage by primary angioplasty, 187

Handheld devices
wireless transmission of ECG to on-call cardiologist via, prehospital triage of AMI, 300
Head trauma
ECG changes after, 77
Head-up tilt test
neurocardiogenic syncope in chronic AV block, 340
Healthy subjects
circadian rhythm of
QT interval dispersion in, 36
spectral indices of HRV in, 239
vs. patients with paroxysmal lone AF, measurement and reproducibility of MCG filtered atrial signal, 330
Heart failure
prognostic value of ambulatory ECG monitoring in, 64
Heart rate (HR)
correlation with heart rate variability spectrum, 47
predictive value for mortality and arrhythmic events in survivors of AMI, 106
rapid, effect of inhibition of reverse mode of Na^+/Ca^{2+} exchange by KB-R7943 on arrhythmogenicity during, 218
Heart rate variability (HRV)
correlation with average heart rate, 47
correlation with circadian rhythm of QT interval dispersion in healthy subjects, 36
in healthy subjects, circadian rhythm of spectral indices of, 239
Heart septum
low atrial septum pacing, ECG characteristics in, 166
Heart-thorax distance
correction in ECG estimation of left ventricular mass, 58
History
evolving concepts of atrial fibrillation, 213
HR. *See* **Heart rate**
HRV. *See* **Heart rate variability**
Hypertension
increased left ventricular mass in, relation to prolonged RT in left precordial leads, 406

IAB. *See* **Interatrial block**
Implantable cardioverter defibrillators
for ventricular fibrillation, in patient with Brugada syndrome, 256
Infarct-related artery
recanalization of, predictive value of ECG changes on follow-up improvement in myocardial perfusion after, 100
Infarct size
in acute ST-elevation MI, ECG in estimation of, 113
final
association with baseline ECG grade 3 ischemia, 187
correlation with initial ST-segment deviation in patients with maximum ST-segment depression in leads V_1 through V_3, 180
Information systems
wireless transmission of ECG to on-call cardiologist via handheld devices, prehospital triage of AMI, 300
Interatrial block (IAB)
widely split P waves in, 324, 327
Intraventricular conduction delay
apparent amelioration of, mediated by anasarca, 160
IRA. *See* **Infarct-related artery**
IVCD. *See* **Intraventricular conduction delay**

KB-R7943
inhibition of reverse mode of Na^+/Ca^{2+} exchange by, effect on arrhythmogenicity in canine heart during rapid HR, 218

Kornreich, Fred
contributions to cardiac electrodiagnosis, 295
personal perspective by his friend and colleague Bruno Taccardi, Kauai, Hawaii, April 15/2005, 400

Langendorff preparation
development of new model of ventricular fibrillation in isolated rabbit hearts, 226
LAS. *See* **Low atrial septum**
Leads
V_1 through V_3, correlation between initial ST-segment deviation and final AMI size in patients with maximum ST-segment depression in, 180
Left ventricular function
predictive value for mortality and arrhythmic events in survivors of AMI, 106
Left ventricular hypertrophy (LVH)
in hypertensive patients, relation to prolonged RT in left precordial leads, 406
Left ventricular mass (LVM)
distance correction in ECG estimation of, 58
Lithium
serum concentration of, correlation with QTc, in psychosis, 148
Long QT syndrome (LQTS)
congenital, QRST isointegral departure mapping after exercise in, 244
Low atrial septum (LAS)
pacing, ECG characteristics in, 166
Low-dose dobutamine test
assessment of early NTW and viable myocardium in patients with a first ST-segment elevation ACS, 171, 179
LQTS. *See* **Long QT syndrome**
LVH. *See* **Left ventricular hypertrophy**
LVM. *See* **Left ventricular mass**

Magnetic resonance imaging
and body surface mapping repolarization abnormalities, in detection of old MI, 264
Magnetocardiography (MCG)
filtered atrial signal in patients with paroxysmal lone AF and healthy subjects, measurement and reproducibility, 295, 330
MAP. *See* **Monophasic action potential**
MCG. *See* **Magnetocardiography**
Medical error
misinterpretation of ECG findings as a result of cable malfunction, 210, 212
Metoprolol
autonomic antecedents to variant angina after withdrawal of, 82
MI. *See* **Myocardial infarction**
Misinterpretation
of ECG findings as a result of cable malfunction, 210, 212
Mitochondria
mechanisms for conversion of VF to VT by perfusion with ruthenium red, 364
Monophasic action potential (MAP)
and activation recovery time, in evaluation of global sequence and dispersion of ventricular repolarization, 28
measurement of global dispersion of ventricular repolarization, 19
Myocardial infarction (MI). *See also* **Posterior myocardial infarction**
acute
final infarct size, correlation with initial ST-segment deviation in patients with maximum ST-segment depression in leads V_1 through V_3, 180
human *vs.* automated ECG waveform measurements and calculation of Anderson-Wilkins acuteness score in patients with, 96
outcomes of early ST-segment resolution after thrombolytic therapy in, 354
in patient with dextrocardia and situs inversus, 412
predictive value of heart rate and left ventricular function for bedside risk stratification after, 106
prehospital triage, wireless transmission of ECG to on-call cardiologist via handheld devices, 295, 300
association of compromised atrial coronary anatomy with atrial arrhythmias and AV block complicating, 271
effects of thrombolysis on vectorcardiographic indices of ventricular repolarization in association with ST-segment resolution, 347
initial area at risk and final infarct size, association with baseline ECG grade 3 ischemia, 187
old, spatial repolarization abnormalities in detection of, 264
predictive value of ECG changes on follow-up improvement in myocardial perfusion after reperfusion therapy for, 100
ST-elevation
acute, ECG in infarct size estimation, 113
false suggestion of, in patient presenting with accelerated idioventricular rhythm, 204
Myocardial ischemia
acute, morphologic ECG interpretation as valuable tool for decision making, 4
exercise-induced, detection by exercise ECG, 130
vs. pulmonary embolism, inverted T waves on ECG, 295, 361
Myocardial perfusion imaging
and predictive value of ECG changes on follow-up improvement in perfusion defect size and severity, 100
technetium-99m sestamibi, ECG prediction of severity of PWPDs as measured by, 195
Myocardial salvage
by primary angioplasty, and progression of necrosis, role of baseline ECG grade 3 ischemia in prediction of, 187

Myocarditis
experimental murine, complete AV block in, 230
Myocardium
viable, and early NTW, in patients with a first ST-elevation ACS, 171, 179

Necrosis
progression of, and myocardial salvage by primary angioplasty, role of baseline ECG grade 3 ischemia in prediction of, 187
Negative T waves (NTW)
and viable myocardium, in patients with a first ST-elevation ACS, 171, 179
Neurocardiogenic syncope
in chronic AV block, 340
NTW. *See* **Negative T waves**

Outcomes
of early ST-segment resolution after thrombolytic therapy in AMI, 354

Percutaneous transluminal coronary angioplasty
transient silent ischemia after, manifested with bizarre ECG, 206
Phenylephrine
and esmolol, infusions, autonomic modulation of U wave during, 152
high-dose intravenous, appearance of prominent positive U waves with, 378
Posterior myocardial infarction
ECG criteria for, in predicting severity of PWPDs on rest technetium-99m sestamibi myocardial perfusion imaging, 195
final infarct size, correlation with initial ST-segment deviation in patients with maximum ST-segment depression in leads V_1 through V_3, 180
Posterior wall perfusion defect (PWPD)
on rest technetium-99m sestamibi myocardial perfusion imaging, ECG prediction of severity, 195
Prognosis
of acute ST-elevation MI, use of ECG in infarct size estimation, 113
of patients with dilated cardiomyopathy, use of ambulatory ECG, 64
Psychosis
correlation of lithium concentration with QTc in patients with, 148
Pulmonary embolism
vs. myocardial ischemia, inverted T waves on ECG, 361
P-wave dispersion (PWD)
role in predicting atrial fibrillation recurrence after cardioversion, 43
in stable CAD patients, in relation to disease severity, 279
P waves
and automated diagnosis of arrhythmia, 295
and duration in pacing from low right atrial septum and high RAA, 166
split, 295
widely split, in IAB, 324, 327
PWD. *See* **P-wave dispersion**
PWPD. *See* **Posterior wall perfusion defect**

QRS complexes
augmentation of, in patients with congestive heart failure responding to diuresis, 54
QTc prolongation
correlation with lithium concentration, in psychosis, 148
in drug evaluation, 7
QT dispersion
circadian rhythm of, correlation with heart rate variability in healthy subjects, 36
in drug evaluation, 7
drug-induced, and risk of torsade de pointes, 10
role in estimating global dispersion of ventricular repolarization, 19
QT interval
correlation with serum lithium concentration, in patients with psychosis, 148
role in autonomic modulation of U wave during phenylephrine and esmolol infusions, 152
short-term repeatability of, 139
Q waves
correlation with infarct size estimation in acute ST-elevation MI, 113

RAA. *See* **Right atrial appendage**
Radiofrequency ablation. *See* **Ablation**
RBBB. *See* **Right bundle branch block**
Recovery time (RT)
prolonged, in left precordial leads, relation to increased left ventricular mass in hypertensive patients, 406
Recurrence
of atrial fibrillation after cardioversion, prediction using P-wave dispersion, 43
Repeatability
of spatial T-wave axis and QT interval, 139
Reperfusion therapy
for MI, predictive value of ECG changes on follow-up improvement in myocardial perfusion after, 100
Repolarization
indices, new ECG monitoring methods for ischemia, 295
short-term repeatability of spatial T-wave axis and QT interval in assessment of, 139
spectrum from short QT, 295
ventricular

activation recovery time measurements in evaluation of global sequence and dispersion of, 28
role of QT dispersion in estimation of global dispersion of, 19
vectorcardiographic indices of, effects of thrombolysis in association with ST-segment resolution, 347
Repolarization abnormalities
drug-induced QT dispersion, and risk of torsade de pointes, 10
spatial, in detection of old MI, 264
Reproducibility
and measurement, of MCG filtered atrial signal in patients with paroxysmal lone AF and healthy subjects, 330
Restitution curve
mechanisms for conversion of VF to VT by perfusion with ruthenium red, 364
Reverse mode of Na^+/Ca^{2+} exchange
inhibition by KB-R7943, effect on arrhythmogenicity in canine heart during rapid HR, 218
Right atrial appendage (RAA)
high, comparison of P-wave and pacing duration with LAS, 166
Right bundle branch block (RBBB)
rate-dependent, and Brugada syndrome, dynamic ECG changes after aborted sudden death in, 256
Risk stratification
after acute myocardial infarction, predictive value of heart rate and left ventricular function for, 106
RT. *See* **Recovery time**
Ruthenium red
mechanisms for conversion of VF to VT by perfusion with, 364
Ruttkay-Nedecky, Ivan
interview with, 285

Selvester QRS score
prediction of severity of PWPDs on rest technetium-99m sestamibi myocardial perfusion imaging, 195
Sensitivity and specificity
of computer-based ECG rhythm algorithm, 235
Short QT interval syndrome (SQTIS)
case report, 371
Short QT syndrome (SQTS)
five years of progress, 375
Signal processing, computer-assisted
ECGScan for conversion of paper ECG printouts to digital ECG files, 310
points to consider in ECG waveform extraction, 319
practical perspective on usefulness of new tool to convert paper ECGs into digital waveform, 321
Silent ischemia
after percutaneous transluminal coronary angioplasty, manifested with bizarre ECG, 206
Situs inversus
and dextrocardia, in AMI patient, 412
Spatial QRS-T angle
effects of thrombolysis on vectorcardiographic indices of ventricular repolarization in association with ST-segment resolution, 347
Spatial T amplitude
effects of thrombolysis on vectorcardiographic indices of ventricular repolarization in association with ST-segment resolution, 347
Spatial T-wave axis
short-term repeatability of, 139
Spectral analysis
of heart rate variability, 47
SQTIS. *See* **Short QT interval syndrome**
SQTS. *See* **Short QT syndrome**
ST/Heart rate analysis
during early postexercise recovery phase, detection of CAD by exercise ECG, 130
ST-segment depression
during early postexercise recovery phase, detection of CAD by exercise ECG, 130
maximum, in leads V_1 through V_3, correlation between initial ST-segment deviation and final AMI size in, 180
ST-segment deviation
initial, correlation with final AMI size in patients with maximum ST-segment depression in leads V_1 through V_3, 180
ST-segment elevation
acute coronary syndrome with, early NTW and viable myocardium in, 171, 179
acute MI with, ECG in infarct size estimation, 113
ST-segment resolution
correlation with effects of thrombolysis on vectorcardiographic indices of ventricular repolarization, 347
new ECG monitoring methods for ischemia, 295
ST-T integral
role in detection of old MI, 264
Sudden cardiac death
aborted, in patient with Brugada syndrome and rate-dependent RBBB, dynamic ECG changes after, 256
in survivors of AMI, predictive value of heart rate and left ventricular function for, 106
Syncope
neurocardiogenic, in chronic AV block, 340

Taccardi, Bruno
on Fred Kornreich, Kauai, Hawaii, April 15/2005, 400
Technetium Tc 99m sestamibi, myocardial perfusion imaging with
ECG prediction of severity of PWPDs as measured by, 195

and predictive value of ECG changes on follow-up improvement in perfusion defect size and severity, 100
Thrombolysis
effects on vectorcardiographic indices of ventricular repolarization, correlation with ST-segment resolution, 347
Thrombolytic therapy
in AMI, outcomes of early ST-segment resolution after, 354
appropriate administration in ST-elevation MI, importance of proper diagnosis, 204
Torsade de pointes
risk of, and drug-induced QT dispersion, 10
Tpeak-Tend interval
in drug evaluation, 7
Transfer electrical resistance
mechanism of augmentation of ECG QRS complexes in patients with CHF responding to diuresis, 54
Transmural dispersion
of repolarization, and risk of torsade de pointes, 10
Transverse dissociation
resulting in 4:1 atrioventricular block, 157
Triage
prehospital, AMI, wireless transmission of ECG to on-call cardiologist via handheld devices, 300
Triangle of Koch
and low atrial septum pacing, 166
T waves
alternans, and risk of torsade de pointes, 10
changes in hypertensive patients, and relation of prolonged RT in left precordial leads to increased left ventricular mass, 406
correlation with infarct size estimation in acute ST-elevation MI, 113
inverted, on ECG, myocardial ischemia *vs.* pulmonary embolism, 295, 361
nondipolar components of, in drug evaluation, 7
12-lead ECGs
misinterpretation of findings as a result of cable malfunction, 210, 212
use of Wilson central terminal for production of 9 standard leads in, 119, 128
Unipolar leads
in 12-lead ECG, understanding the use of Wilson central terminal, 119, 128
U waves
autonomic modulation during phenylephrine and esmolol infusions, 152
prominent positive, appearing with high-dose intravenous phenylephrine, 378

Variant angina
exacerbation after β-blockade withdrawal, autonomic antecedents to, 82
Vectorcardiographic indices
of ventricular repolarization, effects of thrombolysis in association with ST-segment resolution, 347
Ventricular arrhythmias
in isolated rabbit hearts, development of new model of, 226
prognostic value of ambulatory ECG monitoring in DCM patients, 64
during rapid HR, effect of inhibition of reverse mode of Na^+/Ca^{2+} exchange by KB-R7943 on, 218
Ventricular fibrillation (VF)
conversion to VT by perfusion with ruthenium red, mechanisms for, 364
in isolated rabbit hearts, development of new model of, 226
in patient with Brugada syndrome, implantable cardioverter defibrillators for, 256
Ventricular repolarization. *See* **Repolarization**
Ventricular tachycardia (VT)
mechanisms for the conversion of VF to, by perfusion with ruthenium red, 364
VF. *See* **Ventricular fibrillation**
Viable myocardium
and early NTW, in patients with a first ST-elevation ACS, 171, 179
VT. *See* **Ventricular tachycardia**

Wenckebach's periods
vs. alternating Wenckebach's periods, during 4:1 atrioventricular block, terminology usage, 157

Available online at www.sciencedirect.com

SCIENCE DIRECT

Journal of Electrocardiology 38 (2005) 425–426

JOURNAL OF
Electrocardiology

www.elsevier.com/locate/jelectrocard

Author Index: Volume 38, 2005

Adams, G., 300
Akdemir, R., 206
Albano, A., 300
Alexopoulos, D., 82
Ambroggi, L.D., 87
Antzelevitch, C., 260
Arinc, H., 206
Armstrong, P.W., 271
Atarashi, H., 218

Bacharova, L., 119, 285
Baker, R.L., 64
Bilan, A., 239
Billgren, T., 187
Birnbaum, Y., 113, 187
Bisteni, A., 256
Biyan, A., 36
Bjerregaard, P., 86
Bloomfield, D.M., 152
Brodin, L.-Å., 130
Brohet, C.R., 77
Burton, J.R., 271

Campo, A., 58
Cárdenas, M., 256
Carter, W.H., 204
Campbell, P.T., 300
Castell, J., 171
Castellanos, A., 157
Cebeci, B.S., 252
Chambless, L.E., 139
Chiladakis, J.A., 82
Christian, T.F., 96, 187
Clemmensen, P., 180
Colín, L., 256
Corlan, A.D., 87
Cortadellas, J., 171
Corey, C., 300
Cromer, D., 300

de Celis, A.C.R., 226
de França Camargo, A.F., 226
de Voogt, W.G., 166
Dejonghe, D., 77
Demiralp, E., 252
Demirbag, R., 279
Diaz, J., 157
Domingo, E., 171
Dubner, S., 260
Duprez, T., 77
Duran, S., 206

Elhendy, A.A., 166
Elmqvist, H., 130
Emmett, L., 195
Engblom, H., 119
Eskola, M.J., 4
Esper, R.J., 58

Ferreira, C., 260
Figueras, J., 171
Fischer-Colbrie, W., 130
Fox, P., 300
Fu, Y., 271

Galvez, R., 77
Garan, H., 152
Gardner, J., 300
Gerber, B.L., 77
Grande, P., 180
Guevara, M., 256
Gunduz, H., 206
Gussak, I., 86

Hager, C.S., 204
Hammill, S., 96, 187
Hänninen, H., 264
Hanon, S., 213
Hantson, P., 77
Hanzlik, J., 36, 239
Hawthorne, B., 300
Hayano, M., 244
Hedén, B., 96
Heiss, G., 139
Hermosillo, A.G., 256
Hertervig, E., 28
Hirata, M., 244
Hirata, T., 244
Hirayama, Y., 218
Ho, A.T., 43
Hohnloser, S.H., 106
Holm, M., 19, 28
Holmström, M., 264
Holmvang, L., 180
Husain, M., 195

Ignatowicz, A., 36
Interian Jr., A., 157
Iturralde, P., 256
Iwanochko, R.M., 195

Jacobson, A.K., 43

Kalinauskiene, E., 100
Karvonen, M., 264
Katila, T., 264
Khouzam, R.N., 210
Kim, D.H., 271
Kirilmaz, A., 252
Kishimoto, C., 230
Kligfield, P., 235, 297
Klingenheben, T., 106
Kobayashi, Y., 218
Koelling, T.M., 64
Kongstad, O., 19, 28
Kronander, H., 130
Kulakiene, I., 100

Lagerqvist, B., 180
Laterre, P.-F., 77
Lauerma, K., 264
Lee, D.S., 195
Li, Z., 28
Liang, Y., 19
Liao, Q., 19
Lin, F.-C., 69
Lindahl, B., 180
Lindholm, L., 271
Lipton, J., 300

0022-0736/$ – see front matter
doi:10.1016/S0022-0736(05)00249-9

Luo, J., 19
Lux, R.L., 95

Machado, R.A., 58
Macleod, R.S., 87
Madias, J.E., 54, 160
Magnano, A.R., 152
Mäkijärvi, M., 264
Mamiya, K., 148
Márquez, M.F., 256
Maruyama, M., 218
Mauss, O., 106
Maynard, C., 96, 180, 187, 300
Medrano, G., 256
Micheli, A.D., 256
Mortara, J.L., 212
Myerburg, R.J., 157
Myśliński, W., 239

Nabeyama, Y., 148
Nenonen, J., 264
Neto, A.S., 226
Niemelä, K.O., 4
Nikus, K.C., 4
Nordaby, R.A., 58
Nowak, J., 130

Ohara, T., 218
Ohmae, M., 230
Okin, P.M., 235
Olsson, B., 19, 28
Özhan, H., 206

Pahlm, O., 96
Palusiński, R., 36, 239
Patterson, Janet, 300
Perhac, J.S., 139
Persson, E., 96
Perzanowski, C., 43
Petrovici, R., 195
Pluta, W., 47
Pontieri, V., 226
Poon, K., 235
Prineas, R.J., 139
Ptaszynski, P., 106

Rahman, M.A., 187
Rautaharju, P.M., 7, 128, 139
Renkin, J., 77
Riera, A.R.P., 260
Ripa, R.S., 96, 180
Rodés, J., 171
Rodríguez Vazquez, M.L., 58

Sacha, J., 47
Sadanaga, T., 148
Saeed, M., 187
Sarapa, N., 293
Schapacknik, E., 260
Scheffer, M., 166
Schroeder, E.B., 139
Schweitzer, P., 213
Sclarovsky, S., 4
Sejersten, M., 180
Sejersten-Ripa, M., 300
Sekita, A., 148
Selvester, R.H., 119
Sgarbossa, E., 179
Shah, R.R., 10
Shapiro, M., 213
Shinada, T., 218
Soler, J.S., MD, 171
Stenroos, M., 264
Suleman, S., 152

Takano, T., 218
Takenaka, S., 69
Thompson, Alan., 300
Thompson, Amanda, 300
Tjandrawidjaja, M.C., 271
Toivonen, L., 264
Tomioka, N., 230
Tsukahara, K., 244

Ulusoy, R.E., 252
Uyan, C., 206

Väänänen, H., 264
Vaicekavicius, E., 100
Vaidean, G.D., 139
van Mechelen, R., 166
van Miltenburg van Zijl, A.J.M., 166
Velasco, I.T., 226
Vesterinen, P., 264

Wagner, G.S., 1, 85, 86, 96, 119, 180, 187, 295
Wagner, G., 300
Wall, K., 300
Wallentin, L., 180
Wang, C.-C., 69
Ware, D.L., 113
Wen, M.-S., 69
Whitsel, E.A., 139
Wilfong, S., 300
Witczak, A., 36, 239
Wittebole, X., 77
Wu, D., 69

Xia, Y., 28

Yano, K., 244
Yao, H., 148
Yashima, M., 218
Yazici, M., 206
Yeh, K.-H., 69
Yeh, S.-J., 69
Yilmaz, R., 279
Yuan, S., 19, 28
Yukawa, E., 148